

# **Kent Valves Profile**



KENT VALVE is fast growing valve manufacturing Company. Our wide range of superior quality valves especially designed to control water flow, gas, steam, air, and oil. The perfect blend of deep domain knowledge, technology experience and quality valves has enabled us to become leader in valve industry. Our quality team and proficient engineers make sure that we are delivering quality products in market. Our skilled professionals and technology competency coupled with reliable manufacturing process allows us to deliver end to end flow solutions especially catered to user's need and requirements.

KENT VALVE is a professional engineering firm, offering a broad spectrum of technical products and solutions, especially Valves, Instruments, Analyzers and spares to the Oil and Gas, Power Plants, Refineries, Petrochemical, Marine, Pulp & Paper, Water Treatment, District cooling, Solar Power, Irrigation and General Industry sectors, We have a proven track record and a reputation for quality and reliability in selection of Valves, Instruments and Analyzers, We do Service support and On- time delivery of the world's leading Brand names in Valves, Analyzers and Process Instruments, KENT VALVE holds stock of comprehensive range of world leading brands of Gate, Globe, Check, DBB valves and Ball valves, Control globe valves, Safety Relief Valves, Water Flow Meters, Circular Chart Recorders, Electric and Pneumatic Actuators, etc.

KENT VALVE is a multinational company with its group manufacturing plants at India, United Kingdom and Italy. Kent has it's headquartered at Milano, Italy. It has sales office at Mumbai, Dubai, Sharjah, Kuwait, Oman, Italy and UK Etc. The Company has set up world class, state of art plant in Ambernath, MIDC located near to Mumbai, In India. For meeting the requirements of its customers globally. The plant infrastructure comprises of highly efficient machine shop with high level of quality aspects. It covers all the business process like Sales, Design & Development, Procurement, Planning, Manufacturing, Quality, Store, Dispatch, HR and Finance.

# **Product Range**

- Gate, Globe & Check Valves Bolted Bonnet Gate, Globe & Check Valves Pressure Seal Gate,
- Globe & Check Valves Forged
- Ball Valves Floating, Trunnion Mounted, Double Block and Bleed, Top Entry
- Butterfly Valves Concentric, Double Offset and Triple Offset Dual Plate Check Valves
- Single Plate Check Valves
- Pressure Relief Valve, Self Regulating Control Valves
- Instrumentation Valves Ball, Needle, Plug, Gate, Globe and Check
- Pneumatic and Electrical Actuators
- Valve Automation System

# **MANUFACTURING FACILITIES**













#### KCV-P SERIES - CHECK VALVE PRESSURE SEAL



Valve size

**Design Standard** 

**Pressure Rating** 

**Material** 

**End Connection** 

2" to 24"

API & Non API / BS

900# till 2500#

Cast / Alloy / Stainless Steel

Flange (FF, FE & RTJ) / Butt Weld

# KFB SERIES BALL VALVE FLOATING TWO PIECE/THREE PIECE

Valve size

1/4" to 8"

**Design Standard** 

**API & Non API** 

**Pressure Rating** 

150# till 2500#

**Material** 

Cast / Alloy / Stainless Steel

**End Connection** 

Flange (FF, FE & RTJ) / Butt Weld



# KTM SERIES BALL VALVE TRUNNION MOUNTED TWO PIECE/ THREE PIECE



Valve size

**Design Standard** 

**Pressure Rating** 

Material

**End Connection** 

2" to 24"

**API & Non API** 


150# till 2500#

Cast / Alloy / Stainless Steel

Flange (FF, FE & RTJ) / Butt Weld



#### KCV-B SERIES CHECK VALVE BOLTED BONNET



Valve size

**Design Standard** 

**Pressure Rating** 

**Material** 

2" to 24"

API & Non API / BS

150# till 2500#

Cast / Alloy / Stainless Steel

End Connection | Flange (FF, FE & RTJ) / Butt Weld

#### KGV SERIES GATE VALVE PRESSURE SEAL

Valve size

**Design Standard** 

**Pressure Rating** 

Material

**End Connection** 

2" to 24"

API & Non API / BS

900# till 2500#

Cast / Alloy / Stainless Steel

Flange (FF, FE & RTJ) / Butt Weld



# KGLV -P SERIES GLOBE VALVE PRESSURE SEAL



Valve size

**Design Standard** 

**Pressure Rating** 

Material

**End Connection** 

2" to 16"

API & Non API / BS

900# till 2500#

Cast / Alloy / Stainless Steel

Flange (FF, FE & RTJ) / Butt Weld



## KBF-C SERIES CONCENTRIC BUTTERFLY VALVE



Valve size

**Design Standard** 

**Pressure Rating** 

Material

**End Connection** 

2" to 24"

**API & Non API** 

150# & 300#

Cast / Alloy / Stainless Steel

Flange Type / Wafer Type / Lug Type

#### KBF-T SERIES TRIPLE OFFSET BUTTERFLY VALVE

Valve size

**Design Standard** 

**Pressure Rating** 

**Material** 

**End Connection** 

3" to 24"

**API & Non API** 

150# till 1500#

Cast / Alloy / Stainless Steel

Flange Type / Wafer Type / Lug Type



# KBF-D SERIES DOUBLE OFFSET BUTTERFLY VALVE



Valve size

**Design Standard** 

**Pressure Rating** 

Material

**End Connection** 

2" to 24"

**API & Non API** 

150# & 600#

Cast / Alloy / Stainless Steel

Flange Type / Wafer Type / Lug Type



## KCV-S SERIES -SINGLE PLATE CHECK VALVE



Valve size

2" to 24"

**Design Standard** 

**API & Non API** 

**Pressure Rating** 

150# & 300#

Material

Cast / Alloy / Stainless Steel

**End Connection** 

**Wafer Type** 

#### KCV-D SERIES DUAL PLATE CHECK VALVE

Valve size

3" to 24"

**Design Standard** 

**API & Non API** 

**Pressure Rating** 

150# till 2500#

**Material** 


Cast / Alloy / Stainless Steel

**End Connection** 

Flange Type



# KCV-D SERIES DUAL PLATE CHECK VALVE



Valve size

2" to 24"

**Design Standard** 

**API & Non API** 

**Pressure Rating** 

150# & 2500#

Material

Cast / Alloy / Stainless Steel

**End Connection** 

**Lug Type** 



## KCV-D SERIES DUALPLATE CHECK VALVE



Valve size

2" to 24"

**Design Standard** 

**API & Non API** 

**Pressure Rating** 

150# & 2500#

Material

Cast / Alloy / Stainless Steel

**End Connection** 

**Wafer Type** 

# **KQE SERIES QUICK EXHAUST VALVE**

Medium

Design

**Operating Term** 

**Operating Pressure** 

**Material** 

Sizes

Compressed Air, Filtered, lubricated and non-lubricated

Diaphragm operated valve

+ 20°C to +80°C

0.5 - 10 bar

Alluminium Alloy(Anodized) Body & Cover, Nitrile seals, Brass, \$\$304,\$\$316

1/4", 3/8", 1/2", 3/4" & 1" BSP(F) or NPT F



#### KFC SERIES FLOW CONTROL VALVE



Medium

Design

**Operating Term** 

**Operating Pressure** 

Material

Sizes

Water, Gas, Air

**Needle operated Valve** 

-10°C to +70°C

1-10 bar

SS304,SS316 and Aluminium, Nitrile seals

1/4", 3/8", 1/2", 3/4" & 1" BSP(F) or NPT F



## KFB SERIES BALL VALVE FORGED STEEL THREE PIECE



Valve size

**Design Standard** 

**Pressure Rating** 

Material

**End Connection** 

1/4" to 2"

**API & Non API** 

150# & 800#

Forged / Alloy / Stainless Steel

Threaded (NPT / BSP) / Socket / Butt Weld

#### **KGV-F & KGV-B SERIES GATE VALVE BOLTED BONNET**

Valve size

1/4" to 24"

**Design Standard** 

**API & Non API** 

**Pressure Rating** 

150# till 2500#

**Material** 

Cast / Alloy / Stainless Steel

**End Connection** 

Flange (FF, FE & RTJ) / Butt Weld



# KGLV-BL SERIES GLOBE VALVE BOLTED BONNET



Valve size

1/4" to 16"

**Design Standard** 

API & Non API / BS

**Pressure Rating** 

150# till 2500#

Material

Cast / Alloy / Stainless Steel

**End Connection** 

Flange (FF, FE & RTJ) / Butt Weld



# KRP AND KSY SERIES PNEUMATIC ACTUATORS



Medium

Gas ,Water, any liquids per valve specification

Design

Diaphragm operated ,Electrically Operated, Rack and Pinion and Scotch Yoke

**Operating Term** 

-60°C to +120°C

**Operating Pressure** 

**3 TO 10 BAR** 

**Material** 

Hard anodized Aluminum/Cast Steel / Stainless Steel

4 NM TO 1,50000 NM

Sizes

**Actuator to Valve Mounting ISO 5211** 

Standards

Actuator to Solenoid and Accessories
Mounting Namur VDI/VDE3845

External Corrosion Protection in compliance with ISO 12944-2 and EN15714-3 Class C3

# **VALVE AUTOMATION SYSTEM**

Valve size

1/2" to 32"

**Design Standard** 

**API & Non API** 

**Pressure Rating** 

150# & 2500#

**End Connection** 

Flange Type

**Material** 

Cast / Alloy / Stainless Steel/ Accessories as per customer specifications

Sizes

5 NM TO 150000 NM as per customer specification





# KPREVA SERIES PRESSURE REGULATING/RELIEF VALVE







**Function** 

**Seat Variation** 

**End Connections** 

Inlet/Outlet Diameter

**Max rating** 

Temperature min/max

CV Min/Max

Set point min/max

**Construction Material** 

**Body** 

Spring case

**Hydraulic loop** 

Diaphragm

Reducing / Relief / Back pressure / Deluge valve

Single / Double

Flanged/ Threaded

From 1/2" up to 20"

**ANSI 150 to ANSI 1500** 

-10 to + 540 °C

0,04 / 1460

0,5 / 46 barg

Carbon & Stainless Steel, Cast Iron

Carbon & SS

Copper + brass, 316 SS

Polychloroprene / NBR / PTFE /

Reinforced EPDM/ Nylon Reinforced Buna - N

www.kentvalve.com

# **OFFICE AND FACTORY**





Kent Valve Ltd.

Unit b4; Greeba Road; Southmoor Park,

Wythenshawe; Greater Manchester, England

Post Code - M23 9XS United Kingdom

Email Id : Sales.uk@Kentvalve.com



Kent Valve FZE
Plot No.1H-08B,PO Box 51722
Hamriyah Free Zone, Phase 1, Sharjah,
United Arab Emirates
Email Id: Sales.uae@Kentvalve.com



Kent Valve SRL
Autocontrol Europe SRL Via Vittorio Veneto,
23 Cap 20010 Bernate Ticino Milano,
Italy

Email Id : Sales.europe@Kentvalve.com



Kent Valve Pvt. Ltd.

Plot No-B-85/4, Ambernath Additional MIDC,

Anand Nagar, Nr. ASB Company, Ambernath,

Thane, Maharashtra, India - 421506.

Email Id: Sales.india@Kentvalve.com